


Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE JAN 1981		2. REPORT TYPE		3. DATES COVERED 00-00-1981 to 00-00-1981	
4. TITLE AND SUBTITLE Recommended Scales of Aerial Photography for Mapping Barrier Island Vegetation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Corps of Engineers (USACE),Coastal and Hydraulics Laboratory,3909 Halls Ferry Road,Vicksburg,MS,39180				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Coastal Engineering Technical Note

RECOMMENDED SCALES OF AERIAL PHOTOGRAPHY FOR MAPPING BARRIER ISLAND VEGETATION

PURPOSE. Identification of plant species, communities and zones of a barrier island can be important for planning and considering environmental impacts. In many instances vegetational patterns, boundaries, and ground coverage can be more easily identified from aerial photography than from the ground observations. This note provides guidelines on the scale of aerial photography recommended for identification of the various vegetational features on barrier islands.

APPROACH: The Coastal Engineering Research Center's Field Research Facility (FRF) located on the Outer Banks of North Carolina was used as the testing area. Because this area was used as a practice bombing range during WW II, some of the vegetational zones typical of a barrier island have been modified. The following zones are identifiable at the FRF and plots were marked in these areas: bare sand, foredune, shrub, grassy dune, grassy sand flat, maritime forest and marshes. The major plant communities in all of the plots were determined and ground coverage of each of the communities within the plots were mapped (Figures 1 and 2). Vegetative specimens of all plants present in the plots were collected and identified. Color infrared photography proved to be the most reliable for use in vegetation mapping. Color infrared photography was taken of the site from altitudes of 1000, 3000, 6000, and 8000 feet in both 70 mm and 9" x 9" formats. The resulting scales ranged from 1:2000 through 1:30,500.

CONCLUSIONS: Through analysis and comparison of the ground truth data, the following conclusions are drawn: Vegetational zones are distinguishable at scales up to at least 1:20,000 (Figure 1), although important details may be lost at this scale. General characteristics such as community type, percent ground cover and land-water interface are clearly distinguishable at scales up to 1:12,000 (Figure 2). At scales smaller than 1:12,000 many characteristics are lost. For best results in identifying species type, low-level photography at an approximate scale of 1:4000 or larger should be used. In general, grasses cannot be distinguished by species from aerial photography. To distinguish community types, aerial photography at a scale of 1:12,000 (Figure 2) or larger should be used with some ground truth data to verify plant communities.

ADDITIONAL INFORMATION: Contact the CERC Coastal Ecology Branch (202) 325-7393.